

AEG

2020/21

Карта развития продуктовой линейки

POWERING PROFESSIONALS SINCE 1898.

PRO **18v**

BRUSHED

Q1 2020



BSB18C2-0



BSB18G3-0



700w 82mm
Planer

Q2 2020



1200W 184mm
circular saw



1500W 184mm
circular saw



FS250 sheet
sander



18v Handvac

Q3 2020



18V Sub 2
amp Charger



18V Sub C 2 A/h



18V Rivet gun



Cross- 3 Line
Green Laser



Cross Line Red & Green
Laser



BRUSHLESS



18V B/L Compact
impact driver



18V B/L Compact
impact wrench 1/2



18V B/L Compact recip saw



BSB18C2BL-0



18V B/L
Sub C DD



18V B/L
Sub C ID



18V B/L
Sub C IW



18V B/L
Sub C
Multi saw



18V B/L High
Torque Impact

AEG

2020 ROADMAP

18V BL 6 MODE IMPACT DRIVER

6-режимный ударный винтоверт

BSS18B6

6-режимный ударный винтоверт даёт пользователю непревзойденное удобство с 3 основными режимами скорости/мощности и 3 вспомогательными режимами (автостоп, пульс, саморез)

Бесщёточный высокоскоростной мотор предоставляет 280 Nm крутящего момента для крупного крепежа и тяжелых задач.

3 светодиода для бестеневой подсветки рабочей зоны



Specifications

Max Torque	280 Nm
Impact Rate	0 - 4000 ipm
No Load Speed	0 – 3000 Rpm
Bit Reception	¼" Hex
Modes	6

Model	BSS18B6-0
SAP Code	4935472013
SSP Inc VAT	€199
Launch Date	01/02/2020

В ПРОДАЖЕ

PRO 18v

AEG

2020 ROADMAP

18V BL 6 MODE IMPACT WRENCH

6-режимный ударный гайковерт

BSS18C12ZB6-0

6-режимный ударный гайковерт даёт пользователю непревзойденное удобство с 3 основными режимами скорости/мощности и 3 вспомогательными режимами (автостоп по моменту) (70Nm, 120Nm, 160Nm)

Бесщёточный высокоскоростной мотор предоставляет 300 Nm крутящего момента для крупного крепежа и тяжелых задач.

3 светодиода для бестеневой подсветки рабочей зоны



Specifications

Max Torque	300 Nm
Impact Rate	0 - 4000 ipm
No Load Speed	0 – 3000 Rpm
Bit Reception	¼" Hex
Modes	6

Model	BSS18C12ZB6-0
SAP Code	4935472012
SSP Inc VAT	€219
Launch Date	01/02/2020

В ПРОДАЖЕ

PRO 18v

AEG

2020 ROADMAP

18V BL PERCUSSION DRILL

Бесщеточная ударная дрель-шуруповёрт

BSB18C2BL-0

Маленькая, компактная и мощная для самых сложных применений

БЕСЩЁТОЧНЫЙ двигатель выдаёт крутящий момент 65Nm для больших метизов и сверления больших диаметров в древесине

13mm металлический патрон для больших свёрл по дереву и сложных применений



Specifications

Max Torque	65 Nm
No Load speed RPM	0 – 500 / 0 – 1950
Percussion rate BPM	25350
Chuck capacity	13 mm
Max. drilling wood/ steel/ masonry (mm)	40/13/10

Model	BSB18C2BL-0
SAP Code	4935472009
SSP Inc VAT	€149
Launch Date	01/01/2020

В ПРОДАЖЕ

PRO 18v

AEG

2020 ROADMAP

18V PERCUSSION DRILL

Ударная дрель-шуруповёрт

BSB18C2-0

Компактная и мощная для сложных применений

ЩЁТОЧНЫЙ двигатель выдаёт 60Nm крутящего момента 1800 оборотов в минуту

13mm металлический патрон для больших свёрл по дереву и сложных применений



Specifications

Max Torque	60 Nm
No Load speed RPM	0 – 500 / 0 – 1800
Percussion rate BPM	xxxxx
Chuck capacity	13 mm
Max. drilling wood/ steel/ masonry (mm)	40/13/10

Model	BSB18C2-0
SAP Code	4935472010
SSP Inc VAT	€129
Launch Date	01/01/2020

В ПРОДАЖЕ

PRO 18v

AEG

2020 ROADMAP

18V PERCUSSION DRILL

Ударная дрель-шуруповёрт

BSB18G3-0

60 Nm максимальный крутящий момент и 2 скорости:

0-500 / 0-1850 об.мин.

13 mm цельно-корпусной пластиковый облегченный патрон



Specifications

Max Torque	60 Nm
No Load speed RPM	0 – 500 / 0 – 1850
Percussion rate BPM	xxxxx
Chuck capacity	13 mm
Max. drilling wood/ steel/ masonry (mm)	45/13/10

Model	BSB18G3-0
SAP Code	4935472011
SSP Inc VAT	€99
Launch Date	01/01/2020

В ПРОДАЖЕ

PRO 18v

AEG

18V BL COMPRESSOR

Компрессор аккумуляторный

BKE18-38BL

Регулятор давления позволяет пользователю более экономно использовать воздух в баке и работать дольше.

Максимальное давление в 8.3 Bar позволяет выдерживать высокие пиковые потребления, например от гвоздезабивателей

Возможность работу от двух батарей 18v позволяет сократить время перезарядки и увеличить время работы под нагрузкой

Specifications

Max Air flow	80.3 l/min
Max Pressure	8.3 bar
Tank capacity	3.8L
Power	Dual 18v
Hose type reception	Quick coupler

Model	BK18-38BL-0
SAP Code	4935471201
SSP Inc VAT	€
Launch Date	26/01/2020

В ПРОДАЖЕ

2020 ROADMAP



PRO 18v

AEG

2020 ROADMAP

18V BL COMPACT RECIP SAW

Компактная сабельная ножовка

BUS18CBL-0

Компактный дизайн прекрасно подходит для работы над головой и в тесных пространствах
Большая площадь обрезиненных поверхностей позволяет удобно работать двумя руками при более агрессивных пропилах



Specifications

No Load Speed	3000 spm
Keyless blade change	Yes
Stroke length	19MM
Orbital cutting action	Yes
Tool Free change	Yes

Model	BUS18CBL-0
SAP Code	4935471984
SSP Inc VAT	€199
Launch Date	06/02/2020

В ПРОДАЖЕ

PRO 18v

AEG

2020 ROADMAP

700W 82MM PLANER

Рубанок 82-мм

BSS18B6

Точная регулировка глубины для аккуратной работы
TCT-лезвия для точной и долгой службы

Выброс стружки налево/направо, для великолепного удобства и комфорта в работе



Specifications

No load Speed	17000 rpm
Max. Depth of Cut	3.0 mm
Min. Depth of Cut	0.25 mm
Rebate Depth	12 mm
Width	82mm

Model	PL700
SAP Code	4935472008
SSP Inc VAT	€99
Launch Date	01/03/2020



AEG

18V HANDHELD DUST EXTRACTOR Ручной пылесос

BHSS18-0

Промываемый фильтр для долгого срока службы и комфорта

Прозрачный корпус пылесборника для удобства

Необходимый набор насадок уже в комплекте

Specifications

Sealed Suction	5.4 kPa
Air Flow	19 L/sec
Filter type	Washable pre filter
Tank Capacity	670ml
Accessories included	As Above

Model	BHSS18-0
SAP Code	4935471983
SSP Inc VAT	€59
Launch Date	01/05/2020

2020 ROADMAP



PRO 18v

AEG

250W 1/3 SHEET SANDER

Прямая шлифмашина на листы "1/3"

Компактный и мощный 250W двигатель для максимальной производительности и надёжности

Плавная регулировка скорости с фиксацией выключателя для большего комфорта и меньшей усталости

Герметизированная, защищенная от пыли, система выключателей увеличивает надежность и срок службы

2020 ROADMAP



Specifications

Wattage	250W	Model	FS250
Speed	6000 – 12000opm	SAP Code	4935472164
Pad Dimension	90 x 187mm	SSP Inc VAT	€99
Oscillation Diameter	2.0mm	Launch Date	01/04/2020
Weight	1.8kg		

AEG

2020 ROADMAP

1200W 190mm CIRCULAR SAW

1.2 кВт 220В циркулярная пила с диском 190мм

KS12-1

KS12-1

Компактная сетевая циркулярная пила с мощным 1200W двигателем для сложного пиления

Большие и удобные обрезиненные рукоятки повышают комфорт работы

Блокировка шпинделя для быстрой замены диска

Specifications	
No Load Speed	5000 rpm
Blade Size	190 mm
Bore Size	30mm
Max. Depth of Cut 90° / 45°	66 mm / 44 mm
Max. Bevel Capacity	51.5°

Model	KS12-1
SAP Code	4935472006
SSP Inc VAT	€129
Launch Date	01/04/2020



AEG

2020 ROADMAP

1500W 190mm CIRCULAR SAW

1.5 кВт 220В циркулярная пила с диском 190мм

KS15-1

Компактный и мощный 1500W двигатель

Большие и удобные обрезиненные рукоятки повышают комфорт работы
Блокировка шпинделя для быстрой замены диска

Specifications	
No Load Speed	5000 rpm
Blade Size	190 mm
Bore Size	30mm
Max. Depth of Cut 90° / 45°	66 mm / 44 mm
Max. Bevel Capacity	56°

Model	KS15-1
SAP Code	4935472007
SSP Inc VAT	€149
Launch Date	01/04/2020

AW





2019 ROADMAP

220V LOW COST MITRE SAW

PS216L3 недорогая сетевая торцовочная пила

Двигатель 1400W двигатель для сложных материалов

Наклон до 47 градусов для наиболее популярный распилов под углом

Литая база из алюминия для удобства переноски и профессионального рабочего поля



Specifications

Power	220v
Blade size	216 mm
Cut capacity	65 mm
Mitre Capacity	50°
Bevel capacity	47°

Model	PS216L3
SAP Code	4935471981
SSP Inc VAT	€279
Launch Date	01/07/2020

Что сделано для снижения цены

1. Изменена система пылеудаления
2. Сетевой шнур сделан короче - 2м вместо 3м
3. Шкала наклона из ПВХ вместо металлической
4. Убран задний кожух арматуры
5. Диск в комплекте с 40 зубьями вместо 48.

AEG

2020 ROADMAP

18V BL **SUB COMPACT** DRILL DRIVER

BS18SBL-202C Суб-компактная бесщёточная дрель-шуруповёрт

Компактная и надёжная дрель-шуруповёрт, созданная для тяжелых условий использования стройплощадки с полностью металлическими редуктором и патроном

Новый бесщёточный мотор с технологией внешнего ротора и 50 Nm крутящего момента, обеспечивает компактность и долгое время работы при минимальных размерах

Эргономичный дизайн и небольшая масса обеспечивают комфорт всю смену



Specifications	
Max Torque	50 Nm
No Load speed RPM	0 – 500 / 0 – 1700
Percussion rate BPM	xxxxx
Chuck capacity	13 mm
Max. drilling wood/ steel/ masonry (mm)	40/13/10
Dimension	156 x 197 x 56mm

Model	BS18SBL-202C
SAP Code	4935472277
SSP Inc VAT	€229
Launch Date	01/09/2020





2020 ROADMAP

18V BL **SUB COMPACT** IMPACT DRIVER

BSS18SBL-0 Субкомпактный бесщёточный ударный винтовёрт

4-режимный субкомпактный ударный винтовёрт обеспечивает пользователю непревзойденное удобство с 3-мя стандартными скоростями и 1 вспомогательным режимом (autostop)

Новый бесщёточный мотор с технологией внешнего ротора и 150 Nm крутящего момента, обеспечивает компактность и долгое время работы при минимальных размерах

Эргономичный дизайн и небольшая масса обеспечивают комфорт всю смену



Specifications

Max Torque	150 Nm
Impact Rate	0 - 4000 ipm
No Load Speed	0 – 3300 Rpm
Bit Reception	¼" Hex
Modes	4
Dimension	118 x 190 x 57mm

Model	BSS18SBL-0
SAP Code	4935472278
SSP Inc VAT	€149
Launch Date	01/09/2020





2020 ROADMAP

18V BL SUB COMPACT IMPACT WRENCH

BSS18S12BL-0 Субкомпактный бесщеточный ударный гайковерт

4-режимный субкомпактный ударный гайковерт обеспечивает пользователю непревзойденное удобство с 3-мя стандартными скоростями и 1 вспомогательным режимом (autostop)

Новый бесщёточный мотор с технологией внешнего ротора и 200 Nm крутящего момента, обеспечивает компактность и долгое время работы при минимальных размерах

Эргономичный дизайн и небольшая масса обеспечивают комфорт всю смену, даже при работе в труднодоступных местах



Specifications	
Max Torque	200 Nm
Impact Rate	0 - 3000 ipm
No Load Speed	0 – 2700 Rpm
Bit Reception	½" square
Modes	4
Dimension	109 x 198 x 67mm

Model	BSS18S12BL-0
SAP Code	4935472279
SSP Inc VAT	€169
Launch Date	01/09/2020



AEG

2020 ROADMAP

18V BL SUB COMPACT MULTI MATERIAL SAW

Бесщеточная аккумуляторная универсальная пила

BMMS18SBL-0

Бесщеточная аккумуляторная универсальная пила BMMS18SBL-0 AEG 4935472280 сочетает в себе сверхкомпактный дизайн, высокую производительность и надежность.

Инструмент работает с отрезными дисками по металлу, алмазными и карбидными отрезными дисками. Для работ по металлу, плитке, гипсокартону и другим материалам



Specifications

Max RPM	20000 RPM
Blade size	76 mm
Blade bore	10 mm
Cutting depth	16.3 mm
Weight	
Dimension	256 x 158 x 88mm

Model	BMMS18SBL-0
SAP Code	4935472280
SSP Inc VAT	€149
Launch Date	01/09/2020

PRO 18v

AEG

2020 ROADMAP

18V BL HIGH TORQUE IMPACT WRENCH

BSS18HTF12B6-0 Высокомоментный ударный гайковёрт

6-режимный высокомоментный гайковёрт предоставляет пользователю потрясающую возможность и удобство в работе на 3 стандартных скоростях и в 3 режимах Autostop

Бесщёточный высокоскоростной мотор обеспечивает 1400 Nm на заворачивании и до 1800 Nm на срыв для самых сложных задач

Функция Autostop предотвращает повреждение крепежа при заворачивании



Specifications

Max Torque	1400/1800 Nm
Impact Rate	0 - 2100 ipm
No Load Speed	0 – 1800 Rpm
Bit Reception	½" square
Modes	6

Model	BSS18HTF12B6-0
SAP Code	4935472245
SSP Inc VAT	€299
Launch Date	01/09/2020

PRO 18v



2020 ROADMAP

18V RIVET GUN

BNZ18-0 Аккумуляторный заклёпочник

18V Заклёпочник подходит для заклёпок из алюминия, нержавеющей стали, стали и меди, диаметром до 4.8mm (инструмент поставляется с соответствующими адаптерами)

До 650 алюминиевых/422 из нержавеющей стали заклёпок на одной зарядке батареи (2.0 Ач батарея с 3.2mm заклёпками)

Вытягивает заклёпку за один проход для максимальной производительности



Rivet tips supplied	2.4/3.2/4.0/4.8
Stroke length	25.4mm
Pulling force	9500 Nm TBC
Weight	2.1kg

Model	BNZ18-0
SAP Code	4935472246
SSP Inc VAT	€199
Launch Date	01/09/2020



AEG

CROSS LINE RED LASER

CLR215-B Красный лазерный нивелир

15m рабочая дистанция луча, качественные
резиновые накладки и оптическое стекло

Настенное крепление с сильными магнитами

Performance	
Working Range	15 m
Lines projected	2
Laser Class	II
Laser Type	Red
Accuracy	.+/- 0,3 mm/m
Levelling Range	up to 4°
Self-levelling Time	3 s
IP Rating	IP 54
Run time	15 hrs
Includes	1 x Pouch for laser
	2 x AA batteries
	1 x Magnetic wall mount
	1 x velcro strip

Model	CLR215-B
SAP Code	4935472252
SSP Inc VAT	€89.99
Launch Date	01/09/2020

2020 ROADMAP



Функции:


Горизонт, вертикаль и
фиксированный крест под наклоном

V-паз. Установочное углубление для
позиционирования на трубах по
центру

Слоты для липучек для
фиксации на не
металлических
поверхностях

1/4" резьба, готов к штативу

Lock-on button



5/8" & 1/4" резьба, готов к штативу

AEG

CROSS LINE GREEN LASER

CLG220-B Зелёный лазерный нивелир

20m рабочая дистанция зелёного луча

◆ качественные резиновые накладки и оптическое стекло

Настенное крепление с сильными магнитами

Performance

Working Range	20 m
Lines projected	2
Laser Class	II
Laser Type	Green
Accuracy	± 0,4 mm/m
Levelling Range	up to 4°
Self-levelling Time	3 s
IP Rating	IP 54
Run time	15 hrs
Includes	1 x Pouch for laser
	2 x AA batteries
	1 x Magnetic wall mount
	1 x velcro strip

Model	CLG220-B
SAP Code	4935472253
SSP Inc VAT	€149.99
Launch Date	01/09/2020

2020 ROADMAP




Функции:
Горизонт, вертикаль и
фиксированный крест
под наклоном

V-паз. Установочное углубление для
позиционирования на трубах по
центру

Слоты для липучек для
фиксации на не
металлических
поверхностях

1/4" резьба, готов к штативу

Кнопка фиксации



5/8" & 1/4" резьба, готов к штативу

AEG

CROSS LINE GREEN LASER

CLG220-К Зелёный потолочный лазер

20m рабочая дистанция зелёного луча

◆ качественные резиновые накладки и оптическое стекло

Настенное крепление с сильными магнитами и
потолочное крепление

Performance

Working Range	20 m
Lines projected	2
Laser Class	II
Laser Type	Green
Accuracy	± 0,4 mm/m
Levelling Range	up to 4°
Self-levelling Time	3 s
IP Rating	IP 54
Run time	15 hrs
Includes	1 x Pouch for laser
	2 x AA batteries
	1 x Magnetic wall mount
	1 x velcro strip
	1 x Ceiling Clamp
	1 x Green target plate

Model	CLG220-B
SAP Code	4935472254
SSP Inc VAT	€179.99
Launch Date	01/09/2020

2020 ROADMAP



AEG

THREE LINE GREEN LASER + PLUMB

CLG330-K Трёх-лучевой зелёный лазер с отвесом

30m рабочая дистанция трёх зелёных лазеров и отвес красным лазером, качественные резиновые накладки и оптическое стекло

Металлические ножки для неровных поверхностей

Настенное крепление с сильными магнитами и потолочное

Performance	
Range –	30m
Range with Detector	50m
Lines Projected	3 lines / 1 dot
Laser Class	II
Laser Type	Green
Accuracy	+/- 0,2 mm/m
Self levelling Angle	Up to 4°
Self levelling Time	4 s
IP Rating	IP 54
Run time with 3xAA	15 hrs
Includes	1 x Pouch for laser
	3 x AA batteries
	1 x Magnetic wall mount
	1 x Green target plate

Model	CLG330-K
SAP Code	4935472255
SSP Inc VAT	€249.99
Launch Date	01/09/2020

2020 ROADMAP



AEG

2021 ROADMAP

BRUSHED

Q1 2021



18V Inflator



18V Blower



EVE 4.0 Ah

Q2 2021



18V DD/PD



18V ID



18V Circ Saw



18V Caulking Gun

Q3 2021



EVE 5.0 Ah

Q4 2021

BRUSHLESS



18V BL SUB C PD



18V BL PD/DD



18V BL Recip Saw



18V BL ID
1 Speed, 3 Speed



18V BL Multi Tool



2021 ROADMAP

18V HIGH PRESSURE INFLATOR

БК18С-0 Аккумуляторный компрессор высокого давления
Автоматический ВД-компрессор для работы со всеми типами коммерческих и личных покрышек.

ЖК-дисплей с подсветкой в Bar/PSI. Удобное хранение насадок и шланга на корпусе.

Этот щёточный насос укомплектован высокоэффективным компрессором цельно-металлическим поршнем.



Specifications

Voltage	18V
Max Pressure	10.3 Bar / 150 PSI
Air Chuck	Threaded Brass
Digital Readout	Yes
Weight	TBC

Model	BK18C-0
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/01/2021





2021 ROADMAP

18V JOBSITE BLOWER

BGE18C2-0

Designed for left and right handed use, this blower delivers a powerful airflow of up to 170MHP and 125 CFM concentrated output

With ease of use in mind, the BGE18C2-0 comes with a lock switch for reduced fatigue during use

Intake vent is optimized to improve performance



Specifications

Voltage	18V
Max Airflow Rate	170 MPH
CFM	125
Weight	TBC

Model	BGE18C2-0
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/02/2021



AEG

2021 ROADMAP

18V DRILL DRIVER

BS18G4-202C

PRO18V Brushed Drill driver delivering 56Nm of torque through a 2-speed gear box.

450 Rpm in speed 1 for high torque applications and 1900 Rpm in speed 2 for high speed applications

New refreshed AEG PRO18V design



PRO18v

Specifications

Max Torque	55 Nm
Max drilling wood/steel	40/13
No load speed	0-450 / 0-1900 rpm
Chuck capacity	13mm
Weight	TBC

Model	BS18G4-202C
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/04/2021

AEG

2021 ROADMAP

18V PERCUSSION DRILL

BSB18G4-202C

PRO18V Brushed Percussion Drill delivering 56Nm of torque through a 2-speed gear box.

450 Rpm in speed 1 for high torque applications and 1900 Rpm in speed 2 for high speed applications

New refreshed AEG PRO18V design



PRO18v

Specifications

Max Torque	55 Nm
Max drilling wood/steel/masonry	40/13/13
No load speed	0-450 / 0-1900 rpm
Chuck capacity	13mm
Weight	TBC

Model	BSB18G4-202C
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/04/2021

AEG

2021 ROADMAP

18V IMPACT DRIVER

BSS18C2-0

PRO18V brushed impact driver delivering up to 200Nm and 3200Rpm through a single speed gearbox.

A Compact and powerful tool designed to take on tough jobsite applications through a variety of fastener sizes.

New refreshed AEG PRO18V design



Specifications

Max Torque	200 Nm
Impact Rate	0 - 3600 ipm
No Load Speed	0 – 3200 Rpm
Bit Reception	¼" Hex
Speeds/Modes	1

Model	BSS18C2-0
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/04/2021

PRO18v



2021 ROADMAP

18V CAULKING GUN

BKP18C2-310-0

18V caulk gun delivering up to 3350 N pushing force, an optimal performance for even for high viscous material.

Ultimate control made possible by a variable speed dial/ trigger, controlling cartridge size of 310ml

Integrated rafter hook makes it easy to conveniently store the tool when not in use



Specifications

Voltage	18V
Max Pushing Force	3350 N
Cartridge Type	310ml
Weight	TBC

Model	BKP18C2-310-0
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/04/2021





2021 ROADMAP

18V BRUSHED CIRCULAR SAW

BKS18C2-0

Powerful and compact 165mm circular saw for fast and accurate cut in all kinds of wood

Delivers up to 3800rpm and xxx depth of cut for all kinds of application

This circular saw comes with a low profile handle, aluminum upper guard, minimized base and a plastic lower guard.



Specifications

Voltage	18V
Blade Diameter	165mm
Max Cutting Depth	TBC
Cutting Speed	3800 rpm
Weight	TBC

Model	BKS18C2-0
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/04/2021



AEG

2021 ROADMAP

18V BRUSHLESS DRILL DRIVER

BS18C3BL-202C

PRO18V Brushless Drill driver delivering up to 85Nm of torque through a 2-speed gear box.

Full metal much, gear casing and end cap to maximise durability in tough jobsite conditions

Refined new AEG PRO18V brushless design to make the tool as small and compact as possible.



PRO18v

Specifications

Max Torque	85 Nm
Max drilling wood/steel	50/13
No load speed	0-500 / 0-2100 rpm
Chuck capacity	13mm
Weight	TBC

Model	BS18G3BL-202C
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/09/2021

AEG

2021 ROADMAP

18V BRUSHLESS PERCUSSION DRILL

BSB18C3BL-202C/402C

PRO18V Brushless Percussion Drill delivering up to 85Nm of torque through a 2- speed gear box.

Full metal much, gear casing and end cap to maximise durability in tough jobsite conditions

Refined new AEG PRO18V brushless design to make the tool as small and compact as possible.



PRO18v

Specifications	
Max Torque	85 Nm
Max drilling wood/steel/masonry	50/13/13
No load speed	0-500 / 0-2100 rpm
Chuck capacity	13mm
Weight	TBC

Model	BSB18C3BL-202C
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/09/2021

Model	BSB18C3BL-402C
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/09/2021



2021 ROADMAP

18V BRUSHLESS IMPACT DRIVER

BSS18C3BL-0

PRO18V Brushless single speed impact driver delivering up to 250Nm or torque and 2900 Rpm

High speed and torque combination allows user to fix large fasteners in the minimum amount of time, maximizing their productivity

Refined new AEG PRO18V brushless design to make the tool as small and compact as possible.



Specifications

Max Torque	250 Nm
Impact Rate	0 - 4200 ipm
No Load Speed	0 – 2900 Rpm
Bit Reception	¼" Hex
Speeds/Modes	1

Model	BSS18C3BL-0
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/09/2021





2021 ROADMAP

18V BRUSHLESS RECIPROCATING SAW

BUS18BL2-0

18V Brushless reciprocating saw that delivers on power and durability for the needs of professional trades men.

Delivers up to 3200spm and 26mm stroke length for fast and aggressive cut on wood, steel, aluminum, PVC and all kinds of other materials

This recip saw comes with a lever-style blade change, LED light, pivoting/adjustable shoe and is rafter hook compatible



Specifications

Voltage	18V
Cutting Speed	32000 spm
Stroke Length	26mm
Weight	TBC

Model	BUS18BL2-0
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/09/2021





2021 ROADMAP

18V BRUSHLESS MULTITOOL

BMT18BL-0

18V Brushless multitool suitable for cutting into drywall, PVC pipe, steel aluminum and wood

This multitool comes with a tool free blade change, LED light, variable speed and a slide/lock-on switch for easy and fatigue-free operation of the tool

BMT18BL-0 will be sold along with various interchangeable head for completing numerous amount of jobsite tasks.



Specifications

Voltage	18V
OPM	TBC
Oscillation Degree	TBC
Variable Speed	Yes
Weight	TBC

Model	BMT18BL-0
SAP Code	TBC
SSP Inc VAT	€xxx
Launch Date	01/09/2021



AEG

18V BRUSHLESS TRIM ROUTER

BOF18BL2-0

Brushless motor with 20000 rpm to 30000 rpm. D-tech terminals provide more power to maintain better speed under load.

6mm collet size for the most common application and accessories readily available on the market

Magnesium base for durability and LED for illuminating the material being worked on

Specifications	
Power	18V
Speed	20000 – 30000 rpm
Collet Diameter	6mm
Max Cutting Capacity	0 – 35mm
Weight	1.6 kg

Model	BOF18BL2-0
SAP Code	TBC
SSP Inc VAT	€ 219
Launch Date	01/11/2021

2020 ROADMAP



*phasing out existing unit

AEG

2020/21

COMBO KITS/DEALS

POWERING PROFESSIONALS
SINCE 1898.



AEG

18V IMPACT WRENCH KIT

BSS18C12ZBL-0

Extremely powerful impact wrench with up to 500 Nm and up to 3,500 impact per minute.

4 mode selector

- Speed 1 : 1.400rpm, 270Nm
- Speed 2 : 2.000rpm, 360Nm
- Speed 3 : 2.750rpm, 500Nm
- Auto Stop

Specially designed 1/2" square reception for perfect torque transmission

Specifications	
Reception	½" square
Motor	Brushless
Speed	1400/2000/2750rpm
LED	Yes
Weight	2,3kg

Model	TBC
SAP Code	TBC
SSP Inc VAT	TBC
Launch Date	01/03/2020

AUTOMOTIVE KIT



PRO 18v

AEG

TRADESMEN TWIN PACK(1)

18V IMPACT DRIVER & TRADESMAN DRILL

BS18G3-0

55 Nm Maximum torque delivers complete power
2 speeds – 0-500 / 0-1850 rpm
FIXTEC 13mm single sleeve chuck
24 stage torque adjustment for complete control

BSS18C-0

158 Nm maximum torque
Delivers up to 3100 impact per minute for increased productivity
¼" Hex bit reception
Metal gearbox and gears for extended life



Specifications BS18G3-0	
Max Torque	55 Nm
Max drilling wood/steel	40/13
No load speed	0-500 / 0-1850 rpm
Chuck capacity	13mm
Weight	1,8kg

Specifications BSS18C-0	
Max torque	158 Nm
No load speed	0 – 2400 rpm
Impact rate	0 - 3100
Reception	¼" Hex
Weight	1,56kg

Model

SAP Code

SSP Inc VAT

Launch Date

01/03/2020

PRO 18v

AEG

TRADESMEN TWIN PACK(2)

18V IMPACT DRIVER & TRADESMAN DRILL

BS18G3-0

55 Nm Maximum torque delivers complete power
2 speeds – 0-500 / 0-1850 rpm
FIXTEC 13mm single sleeve chuck
24 stage torque adjustment for complete control

BSS18C-0

158 Nm maximum torque
Delivers up to 3100 impact per minute for increased productivity
¼" Hex bit reception
Metal gearbox and gears for extended life



Specifications BS18G3-0

Max Torque	55 Nm
Max drilling wood/steel	40/13
No load speed	0-500 / 0-1850 rpm
Chuck capacity	13mm
Weight	1,8kg

Specifications BSS18C-0

Max torque	158 Nm
No load speed	0 – 2400 rpm
Impact rate	0 - 3100
Reception	¼" Hex
Weight	1,56kg

Model

SAP Code

SSP Inc VAT

Launch Date 01/03/2020

PRO 18v

AEG

18V COMBO KIT

Compact & powerful 60 Nm drill with 2 speeds setting that delivers up to 1800 rpm for heavy duty application

158 Nm impact driver equipped with metal gearbox for extended life delivering up to 3100 impacts per minute

Reciprocating saw delivers up to 3600 strokes per minute and 19mm stroke length for fast cutting application

Specifications		
Drill driver	Max torque	60 Nm
Impact Driver	Max torque	158 Nm
Recip saw	SPM	3600 spm
Circular saw	RPM	5000 rpm
Inspection light	Lumens	270 lms

Model	
SAP Code	
SSP Inc VAT	
Launch Date	10/03/2020

5 PIECE PACK(1)



PRO 18v

AEG

18V BRUSHLESS DRILL DRIVER KIT

With just 176mm in length, this drill comes equipped with a brushless motor and delivers torque up to 60 Nm for tough applications

The 13mm metal chuck on the drill allows for improved durability and versatility

LED light helps illuminate work space on poorly-lit job sites

2 speed setting allows the drill to deliver 0 – 500 on speed and 0 – 1950 rpm when set to speed 2.



Specifications BS18C2-0

Max Torque	60 Nm
Max drilling wood/steel	40/13
No load speed	0-500 / 0-1950 rpm
Chuck capacity	13mm
Weight	1,7kg

Model	
SAP Code	
SSP Inc VAT	
Launch Date	25/03/2020

AEG

2019 ROADMAP

18V PERCUSSION DRILL KIT

BSB18C2-X02KIT1

BSB18C2-0

L1820R

L1840R

30pcs bit set

AL18G

BMC

Packaging

Printed carton containing Drill kit in BMC, bit set in carton

Specifications	
Max Torque	70 Nm
No Load speed RPM	0 – 500 / 0 – 1800
Percussion rate BPM	xxxxx
Chuck capacity	13 mm
Max. drilling wood/ steel/ masonry (mm)	40/13/10

Model	BSB18C2- X02KIT1
SAP Code	4935471922
SSP Inc VAT	299
Launch Date	01/08/2019



PRO 18v

AEG

2019 ROADMAP

18V PERCUSSION DRILL KIT

BSB18C2BL-X02CKIT2

BSB18C2BL-0

L1820R x 2pcs

FL18-0

BL1418

BMC

Packaging

Printed carton containing Drill kit in BMC, Light in carton



Specifications

Max Torque	65 Nm
No Load speed RPM	0 – 500 / 0 – 1950
Percussion rate BPM	25350
Chuck capacity	13 mm
Max. drilling wood/ steel/ masonry (mm)	40/13/10

Model	BSB18C2- X02KIT2
SAP Code	4935471936
SSP Inc VAT	349
Launch Date	15/09/2019

PRO 18v

AEG

2019 ROADMAP

18V PERCUSSION DRILL KIT

BSB18C2BL-X02CKIT3

BSB18C2BL-0

L1820R

L1840R

50 PCS BIT SET

BL1418

AEG26TB

Packaging

Printed sleeve on toolbox showing contents



Specifications

Max Torque	65 Nm
No Load speed RPM	0 – 500 / 0 – 1950
Percussion rate BPM	25350
Chuck capacity	13 mm
Max. drilling wood/ steel/ masonry (mm)	40/13/10

Model	BSB18C2- X02KIT3
SAP Code	4935471935
SSP Inc VAT	379
Launch Date	01/10/2019

PRO 18v

AEG

2019 ROADMAP

18V PERCUSSION DRILL KIT

JP1803-402TB

BSB18C2-0

BSS18C-0

BEWS18-125bl-0

L1840R x 2 pcs

AL18G

AEG26TB

Packaging

Printed sleeve on toolbox showing contents



Specifications

Max Torque	See tool spec
No Load speed RPM	See tool spec
Percussion rate BPM	See tool spec
Chuck capacity	See tool spec
Max. drilling wood/ steel/ masonry (mm)	See tool spec

Model	JP1803-402TB
--------------	--------------

SAP Code	4935471937
-----------------	------------

SSP Inc VAT	499
--------------------	-----

Launch Date	01/08/2019
--------------------	------------

PRO 18v

AEG

2019 ROADMAP

18V PERCUSSION DRILL KIT

JP18H3-402CKIT1

BSB18C2-0

BBH18C-0

BEWS18-125bl-0

L1840R x 2 pcs

AL18G

CONTRACTOR BAG (L)

Packaging

Printed carton showing contents

Specifications

Max Torque	See tool spec
No Load speed RPM	See tool spec
Percussion rate BPM	See tool spec
Chuck capacity	See tool spec
Max. drilling wood/ steel/ masonry (mm)	See tool spec

Model	JP18H3-402KIT1
SAP Code	4935471938
SSP Inc VAT	499
Launch Date	01/11/2020



PRO 18v

AEG

2019 ROADMAP

18V PERCUSSION DRILL KIT

JP18H3-402TB

BSB18C2-0

BBH18BL-0

BEWS18-125bl-0

L1840R x 2 pcs

AL18G

AEG26TB

Packaging

Printed sleeve on toolbox showing contents

Specifications

Max Torque	See tool spec
No Load speed RPM	See tool spec
Percussion rate BPM	See tool spec
Chuck capacity	See tool spec
Max. drilling wood/ steel/ masonry (mm)	See tool spec

Model	JP18H3-402TB
--------------	--------------

SAP Code	4935471939
-----------------	------------

SSP Inc VAT	549
--------------------	-----

Launch Date	01/09/2019
--------------------	------------



PRO 18v

AEG

2019 ROADMAP

18V PERCUSSION DRILL KIT

BSB18C2LI-202TB

BSB18C2-0

L1820R x 2 pcs

AL18G

30Pcs Bit set

AEG26TB

Packaging

Printed sleeve on toolbox showing contents



Specifications	
Max Torque	See tool spec
No Load speed RPM	See tool spec
Percussion rate BPM	See tool spec
Chuck capacity	See tool spec
Max. drilling wood/ steel/ masonry (mm)	See tool spec

Model	BSB18C2LI-202TB
SAP Code	4935472005
SSP Inc VAT	279
Launch Date	01/11/2019



AEG

2020

LOCAL KITS

POWERING PROFESSIONALS
SINCE 1898.



AEG

2020 ROADMAP

18V LOCAL KIT ITALY

JP18J3-402B

BSB18C2-0

BBH18C-0

BEWS18-115BL-0

L1840R x 2 pcs

BL1218

Small contractor bag

Packaging

Brown carton with sticker showing contents

Specifications

Max Torque	See tool spec
No Load speed RPM	See tool spec
Percussion rate BPM	See tool spec
Chuck capacity	See tool spec
Max. drilling wood/ steel/ masonry (mm)	See tool spec

Model	JP18J3-402B
SAP Code	4935472249
SSP Inc VAT	599
Launch Date	01/01/2020



PRO 18v

AEG

2020 ROADMAP

18V LOCAL KIT ITALY

JP18J2-202B

BSB18G3-0

BBH18C-0

L1820R x 2 pcs

AL18G

Small contractor bag

Packaging

Brown carton with sticker showing contents

Specifications	
Max Torque	See tool spec
No Load speed RPM	See tool spec
Percussion rate BPM	See tool spec
Chuck capacity	See tool spec
Max. drilling wood/ steel/ masonry (mm)	See tool spec

Model	JP18J2-202B
SAP Code	4935472250
SSP Inc VAT	309
Launch Date	01/01/2020



AEG

2020 ROADMAP

18V LOCAL KIT ITALY

JP18J2-402B

BSB18C2-0

BSS18C12Z-0

L1840R x 2 pcs

BL1218

Small contractor bag

Packaging

Brown carton with sticker showing contents

Specifications	
Max Torque	See tool spec
No Load speed RPM	See tool spec
Percussion rate BPM	See tool spec
Chuck capacity	See tool spec
Max. drilling wood/ steel/ masonry (mm)	See tool spec

Model	JP18J2-402B
SAP Code	4935472251
SSP Inc VAT	429
Launch Date	01/01/2020



PRO 18v

AEG

2019 ROADMAP

18V PERCUSSION DRILL KIT

BSB18C2BL-202CKIT1

BSB18C2BL-0

L1820R x 2

AAKDD50 50 PCS BIT SET

BL1418

BMC

Packaging

BSB18C2BL-202C packaging with sticker showing FOC bit set and shrink foil holding bit set in place



Specifications

Max Torque	65 Nm
No Load speed RPM	0 – 500 / 0 – 1950
Percussion rate BPM	25350
Chuck capacity	13 mm
Max. drilling wood/ steel/ masonry (mm)	40/13/10

Model	BSB18C2BL-202CKIT1
SAP Code	4935478164
SSP Inc VAT	269
Launch Date	01/06/2020

PRO 18v